Labotronic HE and Labotronic HE-H










HARD-O-DYNAMIC® ADAPTIVE



INTELLIGENT TECHNOLOGY
THAT DECIDES WHAT'S BEST FOR YOUR GELATO



Labotronic HE and
Labotronic HE-H
High Efficiency.
Indispensable.















PERFORMANCE AND QUALITY

Just one button for many programs.



Gelato **Excellent**

The gelato is well constructed, scoopable, soft, and creamy, able to remain in the display case for an extended amount of time. This program is particularly elastic, allowing for greatly reduced production quantities.



Gelato Speed

This production program is fast. The gelato is perfect - consistent and dry, ready for the blast freezer. It is the ideal solution for high season, when the batch freezer is being used at maximum production capacity.



Gelato Hard

The gelato is more compact, dense, and stable, ideal for those who prefer to use a scoop to serve gelato. The gelato can go straight into the display case if there isn't time for the blast freezer.



Gelato Simply

- 1 Gelato Cream (Dairy Gelato)
- 2 Gelato Fruit
- **3** Fruit Ice (Fruit Sorbet)

With this program, the operator chooses one of the three preconfigured cycles, simplifying the job. Production can be handled by an employee who is not an expert because the batch freezer will produce the gelato according to the chosen program: Gelato Cream, Gelato Fruit, Fruit Ice.



Gelato Zero+ Sorbetto Zero+ Production cycles that allow you to freeze recipes low in solids, with an average reduction of 40% of total solids (sugars, fats and others) compared to traditional recipes.



Gelato **Crystal**

With this program we produce the special milk- and fruitbased Gelato Crystal.*

*Crystal: semi-dense gelato ideal for quickly creating desserts of any shape thanks to its easily shaped consistency. When frozen, the Crystal turns into an innovative gelato.



Fruit Cremolata

The program uniformly and perfectly crystallizes water, fruit, and sugar into a fresh, delicious, thirst-quenching treat.



The high-range batch freezers are also available with hot gas tech**nology**. This option allows you to increase the number of production programs (Gelato Hot, Gelato Hot Age and Gelato Hot&Cold).



With the heating function, two programs are Gelato Hot: the mix is prepared directly in the batch freezer, where it is heated, pasteurized, and transformed into gelato. Gelato Hot Age: the mix is prepared, pasteurized, and aged, then turned into gelato. Gelato Hot&Cold: to heat and cool the mix and then turn it into gelato.





The high-range batch freezers are also available with an inverter. This option allows you to increase the number of production programs (Garnish Gelato, Manual Gelato and Sicilian Slush) available to the gelato artisan and comfort (variegation).



Gelato Garnish This program makes it easier to produce trays of layered gelato. You can freeze the gelato, extract a part into the tray, and keep the rest in the cylinder to maintain its consistency.

After having added filling and allowed to harden the first layer, the rest of the gelato is ready for extraction for another layer or to finish the trav.



Gelato Manual With this program the operator can vary the speed of the beater throughout the gelato production cycle, manually managing the freezing process.



Sicilian Slush

The beater spins at low speed to produce perfect coffee, lemon, and fruit slushes without any emulsions, just like the traditional recipe.



Comfort: variegation Thanks to the inverter it is possible to **variegate the gelato** in the tray without stopping the machine or closing the door: the beater speed can be reduced to the point of stopping the output of gelato allowing for easy spreading of the topping, then by increasing the speed the flow of gelato will resume.





for all models



Ice Cream

This program and the special beater allow production of Ice Cream.





gelato.

PERFORMANCE AND QUALITY

Many functions at your service.

Hard-O-Dynamic® Adaptive control of the cold. Smart technology that decides what's best for your

H-O-D Adaptive Dynamic Control of Gelato Consistency.

Once the preferred freezing program has been started (Excellent, Speed, Hard, and so on) and the final consistency has been chosen, the exclusive and patented H.O.D. system automatically controls and manages all thermal exchanges, dynamically modulating cold gas and hot gas for all the following possible combinations:

- 1. Mix quantity, minimum, medium, or maximum load.
- 2. Mix type, a rich cream gelato or a delicate fruit sorbet.
- 3. Gelato quality, the desired finished product.

LCD Display

During the dynamic freezing of the gelato. the display shows:

- 1. The name of the chosen program
- 2. The current consistency, updating as the mix hardens
- 3. A bar chart that reflects the increasing consistency of the gelato
- 4. The final consistency, which can be easily changed throughout the program.

With **Hard-O-Dynamic**® Adaptive, there is no change in timing. temperature, or beater speed for each type of gelato. The only thing that changes is how the cold temperature is used.



The beater has no central shaft. Its POM blades - impenetrable by the cold facilitate the complete extraction of the gelato every time. Sturdy yet light, it has self-adjusting scraper blades to maintain the cylinder clean and efficient.

To maintain the consistency of the gelato during extraction, the post cooling function injects cold into the gelato as it comes out of the cvlinder.



Labotronic HE and Labotronic HE-H High Efficiency.





CONVENIENCE

New solutions for maximum. convenience during use.



The operations of adding mix and extracting gelato are done standing straight.

Customizable Menu to show ONLY the most used cycles.



All commands remain accessible when the hopper cover is open so that the operator can start production while adding mix.



The **shelf mat** is designed to hold small and large trays and tubs in place during gelato extraction.



The new stainless steel **sprayer** is located on the front panel of the machine for easy cleaning of the cylinder and the chute. The sprayer can also be locked to facilitate handling during use.



3E beater for all models. Ideal for producing Ice Cream. Also available as a spare part.







CONVENIENCE

New solutions for maximum convenience during use.



Crystal Dispensing Door.

Ideal with the Crystal program for filling containers and jars directly from the machine.





Thanks to the **spacer**, which can be mounted at any time, it is possible to reduce the door opening, thus facilitating the extraction of the Crystal product and the washing of the machine.



With the Water Filling function you can deliver the precise amount of water required in the recipes and or in cleaning, saving time and avoiding dosage errors.





Scan the QR Code on the front of the machine to access the most up to date equipment information: Instruction Manual, Carpi Care kit & Carpi Clean kit.






easy way: prepare and pasteurize the mix with your batch freezer.





Reduction of production times and consumption of electricity and water.





Carpigiani's HIGH EFFICIENCY technology, featuring an exclusive algorithm that electronically controls thermostatic valves, high-efficiency electric motors, and new high-performance condensers, determines the maximum efficiency for the freezing of the gelato, with significant savings of production time and consumption of electricity and water.

Labotronic HE and Labotronic HE-H offer significant savings in energy consumption (electricity and water), up to 30% compared to RTX batch freezers or previous models.



The HOT GAS technology, exclusive to Carpigiani, allows for great versatility and an important energy savings compared to other forms of heating.







SAFETY

More operational safety and more control during production.



With **TEOREMA**, production continuity is guaranteed thanks to facilitated assistance through monitoring and diagnosis over the internet, using PCs, tablets, and smartphones.





Reduced risk of injury, with corners even more rounded where the operator works.

If power is lost during production or the machine is accidentally stopped, an automatic defrost procedure is triggered, allowing for a rapid restart of production.







The new stainless steel wheels can withstand frequent washing even with the most aggressive detergents.

Washing of the cylinder can be sped up by heating the surface, which rapidly detaches and melts any residual fat left over from production.

Even cleaning the panels is a quick iob because with the Scotch-Brite treatment the steel does not stain and is resistant to fat residues.



The extraction chute is removable to facilitate the removal of all gelato residue, for complete cleaning.

The delayed cleaning program guarantees hygiene by controlling the temperature of the cylinder once the gelato has been extracted. So immediate washing of the machine is not necessary in the event of prolonged work stoppages.



cylinder and The front panel are a single piece for maximum cleanliness and hygiene. This design also eliminates all gaps behind the paneling, where condensation and ice could work to shorten the life of the machine.

Carpi Care kit



request them from your dealer to always keep your machine hygienically perfect.

Carpi Clean kit

Legend: ONLY Optional upon purchase Optional available even after purchase

Labotronic HE and Labotronic HE-H



Production characteristics

		Zero+		Crystal		Cremolata		Slush**		Ice Cream								
	Qty per Batch Mix Gelate Used Produc			lato	Mix		Gelato Produced		Qty per Cycle		Qty per Cycle		Qty per Cycle		Qty per Cycle		Qty per Cycle	
	min - max kg		min - max liters		min - max kg		min - max liters		min - max kg		min - max kg		min - max kg		min - max kg		min - max kg	
Labotronic 10 45 HE and HE-H	1.5*	7.5	2	10.5	10	45	12	63	1.5	6.5	3.5	7.5	3.5	7.5	3.5	7.5	3.5	7.5
Labotronic 15 60 HE and HE-H	2.5*	10.5	3.5	15	15	60	21	84	2.5	9.5	5	10.5	5	10.5	5	10.5	5	10.5
Labotronic 20 90 HE and HE-H	3.5*	13	5	19	20	90	28	135	3.5	12	6	13	6	13	6	13	6	13
Labotronic 25 110 HE and HE-H	4.5*	17	6.5	24	25	110	35	152	4.5	16	7	17	7	17	7	17	7	17

Technical Specifications

		lectrica Supply**		Rated Power Input		Fuse		Cooling System****	Dimension cm at Base			Net Weight
			HE-H	HE I HE-H I	HE HE-H	HE I HE-H I						
	Volts Hz Ph			kW		A			W	D	Н	kg
Labotronic 10 45 HE and HE-H	400	50	3	6.4	6.4	16	16	Water	52	65	140	270
Labotronic 15 60 HE and HE-H	400	50	3	7.6	7	20	20	Water	52	65	140	320
Labotronic 20 90 HE and HE-H	400	50	3	9	8.3	25	20	Water	52	65	140	345
Labotronic 25 110 HE and HE-H	400	50	3	11	10	32	25	Water	52	85	140	420

The Labotronic HE and Labotronic HE-H are manufactured by Carpigiani using a UNI EN ISO 9001 Certified Quality System.

All specifications mentioned must be considered approximate; Carpigiani reserves the right to modify, without notice, all parts deemed necessary.

The quantity per cycle and production time vary based on mixes used. The "Max" values refer to classic Italian artisanal gelato.

Performance values refer to 25 °C room temperature and 20 °C water temperature in the condenser.

* Quantity for "Excellent" program ** HE-H I models only *** Other voltages and cycles available with surcharge. **** Air condenser available with surcharge. The above dimensions and weight refer to the water cooled version.

















Via Emilia, 45 - 40011 Anzola dell'Emilia - BOLOGNA, Italy - T. +39 051 6505111 - info@carpigiani.it

an Ali Group Company

